



# MATERIAL SAFETY DATA SHEET

Compiled According to Directive 91/155/EEC and Amendments

## 1. PRODUCT AND COMPANY INFORMATION

**Product Name:** POSITIVE CONTROL SLIDES  
**Product Code:** PCS  
**Intended Use:** To be used as a positive control when performing in vitro direct or indirect immunofluorescent testing using Cellabs IF reagent. For professional use only.

**Manufacturer:** CELLABS PTY LTD  
**Address:** UNIT 7, 27 DALE STREET, BROOKVALE, NSW, 2100 AUSTRALIA  
**Emergency Telephone:** +61 2 9905 0133 (available Mon-Fri 8.30am to 5pm Australian Eastern Time)  
**Telephone:** +61 2 9905 0133  
**Fax:** +61 2 9905 6426

**European Authorised Representative:** WMDE  
**Address:** BERGERWEG 18, 6085 AT HORN, THE NETHERLANDS  
**Emergency Telephone:** +31 (0)475582285  
**Telephone:** +31 (0)475582285  
**Fax:** +31 475582278

## 2. COMPOSITION

The positive control slides have been fixed and are therefore non-viable. This product does not present a health hazard according to the Directive 1999/45/EC.

## 3. HAZARDS IDENTIFICATION

### Special Information on Hazards Concerning Man and the Environment

**Positive Control Slide**  
Not a hazardous product according to the Directive 1999/45/EC.

## 4. FIRST AID MEASURES

**General Information:** In case of accident or if you feel unwell seek medical advice immediately.  
**After Eye Contact:** In case of contact, immediately flush eyes with copious amounts of water.  
**After Skin Contact:** In case of contact, immediately flush area with copious amounts of water.  
**After Ingestion:** If swallowed, wash out mouth with water provided the person is conscious. Seek immediate medical attention.

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media:** Water spray, carbon dioxide, dry chemical powder, or appropriate foam.

**Special Protective Equipment for Fire-fighters:** Wear protective clothing to prevent contact.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Wear appropriate protective clothing such as eye protection and a laboratory coat.

**Methods for Cleaning Up:** Sharps waste disposal. Take necessary precautions when disposing.

## 7. HANDLING AND STORAGE

**Handling:** Read the product insert. Always follow good laboratory practices when using this product. Wear appropriate protective clothing.

**Storage:** Store at 2-8°C away from direct sunlight.

**Specific Use:** To be used as a positive control when performing in vitro direct or indirect immunofluorescent testing using Cellabs IF reagent for the detection and diagnosis of tropical and infectious organisms in patient specimens and environmental samples. For professional use only.



## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

<b>Engineering Controls:</b>	Not applicable.
<b>Hand Protection:</b>	Wear Latex or Nitrile gloves.
<b>Eye Protection:</b>	Wear safety glasses/goggles to prevent against splash of liquids.
<b>Skin Protection:</b>	Wear a laboratory coat and enclosed shoes.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

### **Positive Control Slide**

<b>Appearance:</b>	Glass slide with a blue Teflon coat and diagnostic material spotted in the centre well.
<b>Odour:</b>	No odour

No other information is available on the product within the meaning of Directive 67/548/EEC.

## **10. STABILITY AND REACTIVITY**

Stable under recommended storage and handling conditions (see section 7)

## **11. TOXICOLOGICAL INFORMATION**

<b>Signs and Symptoms of Exposure:</b>	To the best of our knowledge, the chemical, physical and toxicological properties have not been thoroughly investigated.
----------------------------------------	--------------------------------------------------------------------------------------------------------------------------

## **12. ECOLOGICAL INFORMATION**

There is no data available on this product. The product components should not be allowed to enter drains or water courses. If this occurs, flush the area with copious amounts of water to dilute.

## **13. DISPOSAL CONSIDERATIONS**

Do not allow into drains or water courses. Wastes and empty containers should be held for appropriate waste disposal.

## **14. TRANSPORT INFORMATION**

<b>RID/ADR:</b>	Non-hazardous for rail or road transport.
<b>IMDG:</b>	Non-hazardous for sea transport.
<b>IATA:</b>	Non-hazardous for air transport.

## **15. REGULATORY INFORMATION**

There is no specific information available on this product.

## **16. FURTHER INFORMATION**

This product is intended for professional scientific use only. Please read the product insert for the instructions for use.

The above information and recommendations are believed to be correct as of the date of this Material Safety Data Sheet but shall not be taken to be all inclusive and shall only be used as a guide. All chemicals and preparations may present unknown hazards and should be used with caution. Cellabs shall not be held liable for any damage resulting from handling or contact with the **above product**.